

---

**Recombinant Tumor Necrosis Factor Receptor Superfamily, Member 5 (CD40)**

Cat No. :KF-P1515

**表达系统:** E. coli

**蛋白结构序列:** Cys26~Gly187

**蛋白编号:** P25942

**产品别称:** CD40 molecule, TNF receptor superfamily member 5, Bp50, CDW40, p50, TNFRSF5

**分子量:** 22kDa

**纯度:** >95% as determined by SDS-PAGE.

**内毒素:** ≤10EU/mg as determined by LAL test.

**标签:** N-6His

**冻干Buffer:** Phosphate buffered saline (pH7.4) containing 0.01% sarcosyl, 5%Trehalose

**复溶方式:** Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 0.15M NaCl, 10% glycerol, 1mM DTT

**运输条件:** 2-8℃

**保存条件:** Aliquot and store at -20℃ to -80℃ for up to 6 months, buffer containing 50% glycerol is recommen

**生物活性:** 待查。

**功能:** TNFSF5/CD40LG 受体 (PubMed:31331973)。在巨噬细胞和细胞中传递由 TRAF6 和 MAP3K8 介导的信号, 激活 ERK, 导致免疫球蛋白分泌的诱导 (根据相似性)。

仅供科研或生产使用, 不可直接应用于人体。